

[IEEE HOME](#) | [SEARCH IEEE](#) | [SHOP](#) | [WEB ACCOUNT](#) | [CONTACT IEEE](#)[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)**IEEE Xplore®**  
RELEASE 1.5Welcome  
**United States Patent and Trademark Office**[Help](#)[FAQ](#)[Quick Links](#)[» Search Results](#)[Terms](#) | [IEEE Peer](#)[Review](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced

Member Services

- ☐ Join IEEE
  - ☐ Establish IEEE Web Account
  - ☐ Access the IEEE Member Digital Library
- [Print Format](#)

Your search matched **1** of **974314** documents.

A maximum of **1** results are displayed, **50** to a page, sorted by **Relevance** in descending order.

You may refine your search by editing the current search expression or enter a new search expression.

Then click **Search Again**.

((((client-side)and (applet)) and(version\*)) and ((1990 &lt;in&gt; p

[Search Again](#)**Results:**Journal or Magazine = **JNL** Conference = **CNF** Standard = **STD****1 Chava: reverse engineering and tracking of Java applets**

*Korn, J.; Yih-Farn Chen; Koutsofios, E.;*  
Reverse Engineering, 1999. Proceedings. Sixth Working Conference on , 6-8 Oct. 1999  
Page(s): 314 -325

[\[Abstract\]](#) [\[PDF Full-Text \(144 KB\)\]](#) **IEEE CNF**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#)  
[Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#)  
[No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

[> home](#) [> about](#) [> feedback](#) [> login](#)

IIS Patent &amp; Trademark Office

Try the *new* Portal design

Give us your opinion after using it.

## Search Results

Search Results for: **[client side applet and version]**Found **6** of **121,350** searched.

## Search within Results

[> Advanced Search](#) [> Search Help/Tips](#)

---

Sort by: [Title](#) [Publication](#) [Publication Date](#) [Score](#) [◆ Binder](#)

---

Results 1 - 6 of 6    [short listing](#)

---

**1** [Reviewed papers: Enabling XML storage from Java applets in a GUI](#) 77% [programming course](#)

Jesse M. Heines

**ACM SIGCSE Bulletin** June 2003

Volume 35 Issue 2

XML, the Extensible Markup Language, is widely used in graphical user interface (GUI) programming today to both specify user interfaces and to hold the data displayed in visual components. It is relatively straightforward for Java applets to read and process XML documents over the Web, but security restrictions make it complex to store those documents back on the server after they have been modified. This paper describes a set of cooperating programs and their underlying algorithms that allow Ja ...

---

**2** [Broadcast and on-line cultural heritage: Reconstructing Leonardo's](#) 77% [ideal city - from handwritten codexes to webtalk-II: a 3D collaborative virtual environment system](#)

Thimoty Barbieri , Paolo Paolini

**Proceedings of the 2001 conference on Virtual reality, archeology, and cultural heritage** November 2001

Collaborative Virtual Environments are a class of desktop applications that allow the user to explore a 3D environment, being aware of the presence, the position and the activity of other users, which share the same space. In virtual environments oriented to Cultural Heritage contents, it is thus possible to envision collaboration between users, focused to learning in an innovative and intriguing way. While several CVE frameworks are present both in commercial and research contexts, most of them ...

**3** Extraction and Visualization: Webformulate: a web-based visual 77%  
**4** continual query system

Jennifer Leopold , Meg Heimovics , Tyler Palmer

**Proceedings of the eleventh international conference on World Wide Web** May 2002

Today there is a plethora of data accessible via the Internet. The Web has greatly simplified the process of searching for, accessing, and sharing information. However, a considerable amount of Internet-distributed data still goes unnoticed and unutilized, particularly in the case of frequently-updated, Internet-distributed databases. In this paper we give an overview of *WebFormulate*, a Web-based visual continual query system that addresses the problems associated with formulating tempora ...

**4** WebSplitter: a unified XML framework for multi-device collaborative 77%  
**4** Web browsing

Richard Han , Veronique Perret , Mahmoud Naghshineh

**Proceedings of the 2000 ACM conference on Computer supported cooperative work** December 2000

WebSplitter symbolizes the union of pervasive multi-device computing and collaborative multi-user computing. WebSplitter provides a unified XML framework that enables multi-device and multi-user Web browsing. WebSplitter splits a requested Web page and delivers the appropriate partial view of each page to each user, or more accurately to each user's set of devices. Multiple users can participate in the same browsing session, as in traditional conferencing

groupware. Depending on the acc ...

**5 Web based teaching: a minimalist approach**


77%

 Chris Jesshope

**Proceedings of the second Australasian conference on Computer science education July 1997**

**6 Java and distributed object models: an analysis**

77%

 Marjan Hericko , Matjaz B. Juric , Ales Zivkovic , Ivan Rozman , Tomaz Domajnko , Marjan Krisper

**ACM SIGPLAN Notices December 1998**

Volume 33 Issue 12

Java has an important role in building distributed object oriented web enabled applications. In the article an analysis of two distributed object models in context of Java language is presented. Several aspects of RMI and CORBA such as features, maturity, support for legacy systems, learning curve and ease of development are compared. A special emphasis is given to the performances. Different testing scenarios give a complete overview about real world performances of both architectures. Based on ...

---

Results 1 - 6 of 6     [short listing](#)

---

The ACM Portal is published by the Association for Computing Machinery.  
Copyright © 2003 ACM, Inc.

L Number	Hits	Search Text	DB	Time stamp
1	45707	(bank\$3 or financial or monetary or (ATM) or (branch adj office) or (operation adj center)) and (network or client or server) and (updat\$3 or instal\$5 or download\$3 or version\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 07:22
2	46273	(bank\$3 or financial or monetary or (ATM) or (branch adj office) or (operation adj center)) and (network or client or server) and (updat\$3 or instal\$5 or download\$3 or version\$3) and application or porgram or applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 07:22
3	1707	(bank\$3 or financial or monetary or (ATM) or (branch adj office) or (operation adj center)) same (network or client or server) same (updat\$3 or instal\$5 or download\$3 or version\$3) same (application or program or applet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 07:23
4	73	(bank\$3 or financial or monetary or (ATM) or (branch adj office) or (operation adj center)) same (network or client or server) same (updat\$3 or instal\$5 or download\$3 or version\$3) same applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 07:39
5	60	(bank\$3 or financial or monetary or (ATM) or (branch adj office) or (operation adj center)) and ( (updat\$3 or instal\$5 or download\$3 or version\$3) near3 applet) and CORBA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 08:14
6	8	("5038284"   "5706442"   "5706502"   "5729594"   "5765205"   "5815657"   "5963924"   "5970479").PN.	USPAT	2003/10/07 07:52
7	3	6134600.URPN.	USPAT	2003/10/07 07:54
8	22	bank\$3 and ((updat\$3 or version\$3) near3 applet) and applet near3 client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 08:20
9	167	bank\$3 and (updat\$3 or version\$3) near3 (program or application or applet) and client-side	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 08:22
11	38	bank\$3 and (updat\$3 or version\$3) near3 (program or application or applet) and client-side and applet and (orb or corba )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 08:22
10	121	bank\$3 and (updat\$3 or version\$3) near3 (program or application or applet) and client-side and applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 08:30
12	7	bank\$3 and (updat\$3 or version\$3) near3 cookies	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 08:31
-	242	717/170.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/07 07:12
-	13	717/170.ccls. and applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 15:28
-	5700	applet and (updat\$3 or version\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:25

-	517	applet and (updat\$3 or version\$3) and (network or server or client) and (stor\$3 or cach\$3 or event or notify\$3 or notification) and version near3 (number or id or unique)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 15:52
-	105	applet same (updat\$3 or version\$3) and (network or server or client) and (stor\$3 or cach\$3 or event or notify\$3 or notification) and version near3 (number or id or unique)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 15:45
-	20	applet same (updat\$3 or version\$3) and (network or server or client) and (stor\$3 or cach\$3 or event or notify\$3 or notification) and version near3 (number or id or unique) and compar\$5 near4 (version or number or id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:22
-	1	6321236.URPN.	USPAT	2003/10/01 16:10
-	27	("4432057"   "5261094"   "5341498"   "5452448"   "5493728"   "5574906"   "5600834"   "5634052"   "5649195"   "5682524"   "5684990"   "5689697"   "5689708"   "5734898"   "5737536"   "5751958"   "5752042"   "5758355"   "5765171"   "5819272"   "5870759"   "5870765"   "5884324"   "5884325"   "5970502"   "6141664"   "6202085").PN.	USPAT USPAT	2003/10/01 16:11
-	24	6167567.URPN.	USPAT	2003/10/02 07:38
-	0	(applet adj method) near3 (updat\$3 or version\$3 or synch or synchroniz\$5 or replicat\$3 ) and compar\$5 near4 (version or number or id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:26
-	48	707/203.ccls. and applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:26
-	4	(applet near3 method) near3 (updat\$3 or version\$3 or synch or synchroniz\$5 or replicat\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:27
-	48	(707/203.ccls. and applet ) not ((applet near3 method) near3 (updat\$3 or version\$3 or synch or synchroniz\$5 or replicat\$3 ) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:31
-	27	(applet near5 self) and updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 08:31
-	4	6272677.URPN.	USPAT	2003/10/02 09:40
-	23	("5278979"   "5280612"   "5359730"   "5421012"   "5574898"   "5574906"   "5634052"   "5649200"   "5732275"   "5742829"   "5761499"   "5764992"   "5778231"   "5835911"   "5919247"   "5923885"   "5966540"   "5995756"   "6006035"   "6047054"   "6088717"   "6151643"   "6167567").PN.	USPAT USPAT	2003/10/02 09:45
-	24	6167567.URPN.	USPAT	2003/10/02 09:47
-	875	(bank\$3 near5 server) and (branch or office or terminal or atm) and (updat\$3 or download\$3 or sync or synchroniz\$5 or replicat\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:30
-	10	(bank\$3 near5 server) and (branch or office or terminal or atm) and (updat\$3 or download\$3 or sync or synchroniz\$5 or replicat\$3 ) and 717/???.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:46

-	66	applet near5 self	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/02 11:46
-	2180	client and server and (version\$3 near3 number\$3) and updat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:00
-	1557	client and server and (version\$3 near3 number\$3) and updat\$3 and (stor\$3 and compar\$4 and read\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 08:01
-	171	client and server and (version\$3 near3 number\$3) and updat\$3 and (stor\$3 and compar\$4 and read\$3) and ((automatic\$4 or programmatic\$4) near5 version\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 14:41
-	0	6598060.URPN.	USPAT	2003/10/06 14:16
-	8	("5485601"   "5515522"   "5537529"   "5909689"   "5996113"   "5999947"   "6209128"   "6377960"   "2001/0010702"   "2001/0029517").PN.	USPAT	2003/10/06 14:16
-	0	6360366.URPN.	USPAT	2003/10/06 14:29
-	26	("4714992"   "5005122"   "5008814"   "5019963"   "5155847"   "5247683"   "5343527"   "5440723"   "5448727"   "5495610"   "5555416"   "5577244"   "5581764"   "5586304"   "5721911"   "5724345"   "5732266"   "5732275"   "5734898"   "5737533"   "5752042"   "5754830"   "5758342"   "5768511"   "5794259"   "5848421").PN.	USPAT USPAT	2003/10/06 14:29 2003/10/06 14:29
-	77	client and server and (version\$3 near3 number\$3) and updat\$3 and (stor\$3 and compar\$4 and read\$3) and ((automatic\$4 or programmatic\$4) near5 version\$3) and (bank or banking or (financial adj institution) or financial)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 14:49
-	12	709/203.ccls. and (version\$3 near3 number\$3) and updat\$3 and (stor\$3 and compar\$4 and read\$3) and ((automatic\$4 or programmatic\$4) near5 version\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 14:50
-	28	709/203.ccls. and (version\$3 near3 number\$3) and updat\$3 and applet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/06 14:50